

A Field Checklist
of the Birds of Guyana
2nd Edition



Michael J. Braun
Davis W. Finch
Mark B. Robbins
and
Brian K. Schmidt

Smithsonian Institution



USAID
FROM THE AMERICAN PEOPLE

A Field Checklist of the Birds of Guyana

2nd Edition

by

Michael J. Braun,
Davis W. Finch,
Mark B. Robbins,
and
Brian K. Schmidt

Publication 121 of the
Biological Diversity of the Guiana Shield Program
National Museum of Natural History
Smithsonian Institution
Washington, DC, USA

Produced under the auspices of the
Centre for the Study of Biological Diversity
University of Guyana
Georgetown, Guyana

2007

PREFERRED CITATION:

Braun, M. J., D. W. Finch, M. B. Robbins and B. K. Schmidt.
2007. *A Field Checklist of the Birds of Guyana, 2nd Ed.*
Smithsonian Institution, Washington, D.C.

AUTHORS' ADDRESSES:

Michael J. Braun - Department of Vertebrate Zoology,
National Museum of Natural History, Smithsonian
Institution, 4210 Silver Hill Rd., Suitland, MD, USA
20746 (braunm@si.edu)

Davis W. Finch - WINGS, 1643 North Alvernon Way, Suite
105, Tucson, AZ, USA 85712 (wings@wingsbirds.com)

Mark B. Robbins - Division of Ornithology, Natural History
Museum, University of Kansas, Lawrence, KS, USA
66045 (mrobbins@ku.edu)

Brian K. Schmidt - Smithsonian Institution, Division of
Birds, PO Box 37012, Washington, DC, USA 20013-
7012 (schmidt@si.edu)

COVER ILLUSTRATION:

Guyana's national bird, the Hoatzin or Canje Pheasant,
Opisthocomus hoazin, by Dan Lane.

INTRODUCTION

This publication presents a comprehensive list of the birds of Guyana with summary information on their habitats, biogeographical affinities, migratory behavior and abundance, in a format suitable for use in the field. It should facilitate field identification, especially when used in conjunction with an illustrated work such as *Birds of Venezuela* (Hilty 2003). It is part of a series of comprehensive lists of the flora and fauna of Guyana being developed by the Smithsonian Institution's Biological Diversity of the Guiana Shield Program and the Centre for the Study of Biological Diversity, University of Guyana (Boggan *et al.* 1997, Hollowell & Reynolds 2005, www.nmnh.si.edu/biodiversity/bdg.htm).

The first edition of this list (Braun *et al.* 2000) included 786 species. The list presently stands at 814 species that have been documented as occurring in Guyana. It builds upon the long out-of-print work of Snyder (1966), who listed 720 species. Her list is largely treated as authoritative, but 10 species are removed for lack of concrete documentation. These are *Tinamus tao*, *Butorides virescens*, *Patagioenas fasciata*, *Crotophaga sulcirostris*, *Pharomachrus fulgidus*, *Iodopleura pipra*, *Tangara peruviana*, *Loxigilla noctis*, *Sporophila hypochroma* and *Gymnomystax mexicanus*. Species included are those whose occurrence in the country is supported by physical evidence (specimen, photograph, sound recording, or band recovery) or written documentation of a sight record by a reliable, experienced observer (see below). The nomenclature follows *A Classification of the Bird Species of South America* (Remsen *et al.* 2007).

DEFINITIONS

Abbreviations and symbols are used for various categories of habitat, endemism, migration and abundance. The endemism and habitat codes follow Stotz *et al.* (1996); some habitat codes are modified to reflect the authors' experience in Guyana. Figure 1 (inside back cover) shows the distribution of principal habitats in Guyana.

HABITAT CODES

- | | |
|----|--|
| LF | Lowland forest, including both <i>terra firme</i> and seasonally flooded forest. |
| MF | Montane forest. |
| RI | Riverine habitats, including the river and their islands, banks, waterfalls, and riparian forests. |
| MA | Marine or salt water habitats, including coastal and pelagic waters. |
| MU | Mudflats and coastal beaches. |

FW	Fresh water habitats, including lakes, impoundments, ponds, oxbows, marshes, and canals.
MN	Mangrove forest.
HU	Habitats altered by humans, such as gardens, towns, roadsides, agricultural lands, disturbed forests and forest edge.
SV	Savanna grasslands.
SC	Scrub or brush habitats, including white sand scrub, bush islands, and dense, low second growth.
PA	Palm trees and forests.

ENDEMISM AND MIGRATION CODES (EN/MI)

GUI	Restricted to the Guianas and adjacent Venezuela and Brazil.
TEP	Restricted to the tepui highlands of Venezuela, Brazil and Guyana. In Guyana, these include the Pacaraima and Merume Mountains.
AMN	Restricted to Amazonian (and Guianan) lowlands north of the Amazon.
NEA	Nearctic migrant; except for shorebirds, these occur September-May and are absent in the northern summer months of June-August.
AUS	Austral migrant; typically present May- September.

ABUNDANCE CODES (ABU)

C	Common; more than 20 individuals encountered daily in prime habitat and season.
F	Fairly common; 5-20 individuals encountered daily in prime habitat and season.
U	Uncommon; present in small numbers (fewer than 5 individuals per day); not encountered daily even in prime habitat and season.
S	Scarce; only occasionally encountered in small numbers even in prime habitat and season.
?	Occurs in Guyana but status unclear due to scarcity of data.
E	Extirpated; no longer occurs, probably as a result of hunting (Horned Screamer).
†	Extinct (Eskimo Curlew).
L	Local; used with other abundance codes to indicate that a species' distribution in the country is patchy and that it is absent from large areas of apparently suitable habitat.
[]	Sight records only (24 species).
*	Reported for Guyana, but needs verification (14 species).

DOCUMENTING NEW RECORDS

While this list contains new information, much remains to be learned. Every effort should be made to document species not on this list, as well as those marked by brackets or asterisks, or with an abundance code of “?”. Copies of photographs, tape recordings and/or written details of sight records may be sent to the first author. These should include date, time, specific locality, observers’ names and addresses, description of size, shape and color pattern with specific field marks used to eliminate similar species, habitat, behavior, light conditions, optical equipment and previous experience of the observers with the species in question and its relatives.

Documenting new or unusual distributional records of birds is only the beginning. Little is known of the habitat, behavior, migration, breeding and ecology of many Neotropical birds. New and significant discoveries await any keen observer with a pair of binoculars and a field guide! We hope this publication will generate new information on the status and distribution of Guyana’s birdlife and result in an increased commitment to its preservation.

ACKNOWLEDGEMENTS

We give special thanks to the Amerindian Peoples of Guyana for their invaluable assistance during all our fieldwork. The assistance of Harold Ameer, Calvin Bernard, John Caesar, Malcolm and Margaret Chan-A-Sue, Phillip DaSilva, Duane, Sandy and Justin deFreitas, Colin Edwards, Laurice Franklin, Vicki Funk, Patricia Gentili-Poole, Ashley Holland, Shirley Humphrys, Carol Kelloff, Ramesh Lilwah, Diane McTurk, Christopher Milensky, Andy Naraine, Dyantie Naraine, Louis Orella, Claudius Perry, Annie Pitamber, Waldyke Prince, Indarjit Ramdass, Nathan Rice, Michael Tamessar, Tony Thorne and Romeo Williams has been indispensable. Mark Adams, David Agro, David Ascanio, Brian Barber, Robb Brumfield, Kim Bostwick, Santiago Claramunt, H. David Clarke, Mario Cohn-Haft, James Dean, Kristine Erskine, Christina Gebhard, Chris Huddleston, Leo Joseph, Judy Karwacki, Jewel Liddell, Elford Liverpool, Gerlof Mees, Naseem Nasir, Brian O’Shea, Javier Piedra, K.P. Raghunath, Robert Ridgely, Greg Schmitt, Douglas Stotz, Graham Watkins, Bret Whitney, Jane Winchell and Kristof Zyskowski also aided us in many ways. The following organizations provided permission, advice and support: National Biodiversity Advisory Committee of the Environmental Protection Agency, Ministry of Amerindian Affairs, Embassy of the United States of America, Georgetown, Guyana, Wilderness Explorers, Iwokrama International Centre for Rain Forest Conservation and Development, National Geographic Society, American Bird Conservancy, National Aviary,

Conservation International, South Rupununi Conservation Society, and American Federation of Aviculturists. This publication is made possible by the support of the American People through the United States Agency for International Development (USAID.) The contents of this publication are the sole responsibility of the authors and do not necessarily reflect the views of USAID or the United States Government.

REFERENCES

- Barnett, A., R. Shapley, P. Benjamin, E. Henry, and M. McGarrell. 2002. Birds of the Potaro Plateau, with eight new species for Guyana. *Cotinga* 18:19-36.
- Boggan, J., V. Funk, C. Kelloff, M. Hoff, G. Cremers, & C. Feuillet. 1997. *Checklist of the Plants of the Guianas*, 2nd Ed. Biological Diversity of the Guianas Program, Smithsonian Institution, Washington, D.C. 238 pp.
- Braun, M. J., D. W. Finch, M. B. Robbins and B. K. Schmidt. 2000. *A Field Checklist of the Birds of Guyana*. Smithsonian Institution, Washington, D.C.
- Braun, M. J., M. B. Robbins, C. M. Milensky, B. J. O'Shea, B. R. Barber, W. Hinds and W. S. Prince. 2003. New birds for Guyana from Mts. Roraima and Ayanganna. *Bull. Brit. Orn. Club* 123: 24-33.
- Braun, M. J., M. L. Isler, P. R. Isler, J. M. Bates and M. B. Robbins. 2005. Avian speciation in the Pantepui: The case of the Roraiman Antbird (*Percnostola [Schistocichla] "leucostigma" saturata*). *Condor* 107: 329-343.
- Haverschmidt, F., and G. F. Mees. 1994. *Birds of Suriname*. VACO, N.V., Paramaribo.
- Hilty, S. L. 2003. *Birds of Venezuela*. 2nd Ed. Princeton Univ. Press, Princeton, New Jersey.
- Hollowell, T., and R. P. Reynolds, eds. 2005. Checklist of the Terrestrial Vertebrates of the Guiana Shield. *Bulletin of the Biological Society of Washington*, no 13.
- Meyer de Schauensee, R., and W. H. Phelps, Jr. 1978. *A Guide to the Birds of Venezuela*. Princeton University Press, Princeton.
- O'Shea, B. J., C. M. Milensky, S. Claramunt, B. K. Schmidt, C. A. Gebhard, C. G. Schmitt, and K. T. Erskine. 2007. New records for Guyana, with description of the voice of Roraiman Nightjar (*Caprimulgus whitelyi*). *Bull. Brit. Ornith. Club*, in press.
- Parker, T. A., III, R. B. Foster, L. H. Emmons, P. Freed, A. B. Forsyth, B. Hoffman, and B. D. Gill. 1993. A biological assessment of the Kanuku Mountain region of southwestern Guyana. Conservation International, RAP Working Papers 5.
- Remsen, J. V., A. Jaramillo, M. Nores, J. F. Pacheco, M. B. Robbins, T. S.

- Schulenberg, F. G. Stiles, J. M. C. da Silva, D. F. Stotz, & K. J. Zimmer. 2007 (March 12 version). A classification of the bird species of South America. Am. Ornithologists' Union, <http://www.museum.lsu.edu/~Remsen/SACCBaseline.html>.
- Ridgely, R. S., and G. Tudor. 1989. *The Birds of South America, Volume I: The Oscine Passerines*. University of Texas Press, Austin.
- Ridgely, R. S., and G. Tudor. 1994. *The Birds of South America, Volume II: The Suboscine Passerines*. University of Texas Press, Austin.
- Ridgely, R. S., D. Agro, & L. Joseph. 2005. Birds of Iwokrama Forest. Proc. Academy of Nat. Sci. 154:109-121.
- Robbins, M. B., M. J. Braun and D. W. Finch. 2003. Discovery of a population of the endangered Red Siskin (*Carduelis cucullata*) in Guyana. Auk 120: 291-298.
- Robbins, M. B., M. J. Braun and D. W. Finch. 2004. Avifauna of the Guyana southern Rupununi, with comparisons to other savannas of northern South America. Ornitología Neotropical 15:173-200.
- Robbins, M. B., M. J. Braun, Christopher J. Huddleston, Davis W. Finch, & Christopher M. Milensky. 2005. First Guyana records, natural history, and systematics of the White-naped Seedeater (*Dolospingus fringilloides*). Ibis 147: 334-341.
- Robbins, M. B., M. J. Braun, C. M. Milensky, B. K. Schmidt, W. Prince, N. H. Rice, D. W. Finch and B. J. O'Shea. 2007. Avifauna of the Upper Essequibo River and Acary Mountains, Southern Guyana, with comparisons to other Guianan Shield sites. Ornitología Neotropical 18.
- Snyder, D. E. 1966. *The Birds of Guyana*. Peabody Museum, Salem.
- Stotz, D. F., J. W. Fitzpatrick, T. A. Parker III, and D. K. Moskovits. 1996. *Neotropical Birds: Ecology and Conservation*. University of Chicago Press, Chicago.
- Tostain, Olivier, J.-L. Dujardin, Ch. Érard and J.-M. Thiollay. 1992. *Oiseaux de Guyane*. Société d'Études Ornithologiques, Brunoy, France.

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
--	--------------------------------	---------	-------	-----

Tinamous Tinamidae

1	Great Tinamou <i>Tinamus major</i>	LF		F
2	Cinereous Tinamou <i>Crypturellus cinereus</i>	LF, SC		F
3	Little Tinamou <i>Crypturellus soui</i>	SC, LF		F
4	Undulated Tinamou <i>Crypturellus undulatus</i>	LF		F
5	Red-legged Tinamou <i>Crypturellus erythropus</i>	LF, SC		U
6	Variiegated Tinamou <i>Crypturellus variegatus</i>	LF		F
7	Rusty Tinamou <i>Crypturellus brevirostris</i>	LF, MF		S

Screamers Anhimidae

8	Horned Screamer <i>Anhima cornuta</i>	FW		E
---	--	----	--	---

Ducks, Geese Anatidae

9	Fulvous Whistling-Duck <i>Dendrocygna bicolor</i>	FW		S
10	White-faced Whistling-Duck <i>Dendrocygna viduata</i>	FW		C
11	Black-bellied Whistling-Duck <i>Dendrocygna autumnalis</i>	FW		C
12	Orinoco Goose <i>Neochen jubata</i>	RI, FW		S
13	Muscovy Duck <i>Cairina moschata</i>	FW, RI		C
14	Comb Duck <i>Sarkidiornis melanotos</i>	FW		S
15	Brazilian Teal <i>Amazonetta brasiliensis</i>	FW		C
16	Northern Pintail <i>Anas acuta</i>	FW	NEA	S
17	White-cheeked Pintail <i>Anas bahamensis</i>	FW, MN		S
18	Blue-winged Teal <i>Anas discors</i>	FW	NEA	S
19	Masked Duck <i>Nomonyx dominicus</i>	FW		U

Curassows, Guans Cracidae

20	Variable Chachalaca <i>Ortalis motmot</i>	LF, SC		C
21	Marail Guan <i>Penelope marail</i>	LF	GUI	U
22	Spix's Guan <i>Penelope jacquacu</i>	LF		F
23	Blue-throated Piping-Guan <i>Pipile cumanensis</i>	LF, MF		FL
24	Crestless Curassow <i>Mitu tomentosum</i>	RI, LF	AMN	UL
25	Black Curassow <i>Crax alector</i>	LF, MF	AMN	F

Quails Odontophoridae

26	Crested Bobwhite <i>Colinus cristatus</i>	SV, SC, HU		F
27	Marbled Wood-Quail <i>Odontophorus gujanensis</i>	LF		F

Grebes Podicipedidae

28	Least Grebe <i>Tachybaptus dominicus</i>	FW		F
29	Pied-billed Grebe <i>Podilymbus podiceps</i>	FW		S

Shearwaters Procellariidae

30	Cory's Shearwater <i>Calonectris diomedea</i>	MA		?
31	Greater Shearwater <i>Puffinus gravis</i> *	MA		?
32	Audubon's Shearwater <i>Puffinus lherminieri</i>	MA		?

Storm-Petrels Hydrobatidae

33	Wilson's Storm-Petrel <i>Oceanites oceanicus</i>	MA		?
34	Leach's Storm-Petrel <i>Oceanodroma leucorhoa</i>	MA		?

Pelicans Pelecanidae

35	Brown Pelican <i>Pelecanus occidentalis</i>	MA		F
----	--	----	--	---

Boobies Sulidae

36	Brown Booby <i>Sula leucogaster</i>	MA		?
----	--	----	--	---

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
--	--------------------------------	---------	-------	-----

Cormorants **Phalacrocoracidae**

37	Neotropic Cormorant <i>Phalacrocorax brasilianus</i>	FW, RI		C
----	---	--------	--	---

Anhingas **Anhingidae**

38	Anhinga <i>Anhinga anhinga</i>	FW, RI		C
----	---------------------------------------	--------	--	---

Frigatebirds **Fregatidae**

39	Magnificent Frigatebird <i>Fregata magnificens</i>	MA, MN		C
----	---	--------	--	---

Hérons **Ardeidae**

40	Rufescent Tiger-Heron <i>Tigrisoma lineatum</i>	FW		F
41	Fasciated Tiger-Heron <i>Tigrisoma fasciatum</i>	RI		S
42	Agami Heron <i>Agamia agami</i>	LF, RI		U
43	Boat-billed Heron <i>Cochlearius cochlearius</i>	FW, MN		F
44	Zigzag Heron <i>Zebriulus undulatus</i>	LF, RI		S
45	Pinnated Bittern <i>Botaurus pinnatus</i>	FW		F
46	Least Bittern <i>Ixobrychus exilis</i>	FW		F
47	Stripe-backed Bittern <i>Ixobrychus involucris</i>	FW		?
48	Black-crowned Night-Heron <i>Nycticorax nycticorax</i>	FW, MU		C
49	Yellow-crowned Night-Heron <i>Nyctanassa violacea</i>	MN, FW, MU		U
50	Striated Heron <i>Butorides striata</i>	FW, MN, RI		C
51	Cattle Egret <i>Bubulcus ibis</i>	HU		C
52	Cocoi Heron <i>Ardea cocoi</i>	FW, RI		C
53	Great Egret <i>Ardea alba</i>	MU, FW		C
54	Capped Heron <i>Pilherodius pileatus</i>	FW, RI		F
55	Tricolored Heron <i>Egretta tricolor</i>	MN, MU		C
56	Snowy Egret <i>Egretta thula</i>	MU, MN, FW		C
57	Little Blue Heron <i>Egretta caerulea</i>	MN, MU, FW		C

Ibises **Threskiornithidae**


58	Scarlet Ibis <i>Eudocimus ruber</i>	FW, MN, HU		C
59	[Glossy Ibis <i>Plegadis falcinellus</i>] *	FW		?
60	Sharp-tailed Ibis <i>Cercibis oxycerca</i>	FW, SV		F
61	Green Ibis <i>Mesembrinibis cayennensis</i>	LF, RI		C
62	Bare-faced Ibis <i>Phimosus infuscatus</i> *	FW		?
63	Buff-necked Ibis <i>Theristicus caudatus</i>	FW, HU, SV		F
64	Roseate Spoonbill <i>Platalea ajaja</i>	MU, FW		F

Storks **Ciconiidae**

65	Maguari Stork <i>Ciconia maguari</i>	SV, HU, FW		F
66	Jabiru <i>Jabiru mycteria</i>	FW, SV		F
67	Wood Stork <i>Mycteria americana</i>	FW		C

Vultures **Cathartidae**

68	Turkey Vulture <i>Cathartes aura</i>	HU, SC, SV		C
69	Lesser Yellow-headed Vulture <i>Cathartes burrovianus</i>	SV, SC, FW		C

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
70	Greater Yellow-headed Vulture <i>Cathartes melambrotus</i>	LF		C
71	Black Vulture <i>Coragyps atratus</i>	SC, HU		C
72	King Vulture <i>Sarcoramphus papa</i>	LF, SV		F
Flamingos		Phoenicopteridae		
73	Greater Flamingo <i>Phoenicopterus ruber</i>	MU, MA		?
Osprey		Pandionidae		
74	Osprey <i>Pandion haliaetus</i>	MA, FW, RI	NEA	F
Hawks, Eagles		Accipitridae		
75	Gray-headed Kite <i>Leptodon cayanensis</i>	LF		U
76	Hook-billed Kite <i>Chondrohierax uncinatus</i>	LF, RI, MF		U
77	Swallow-tailed Kite <i>Elanoides forficatus</i>	LF, MF		F
78	Pearl Kite <i>Gampsonyx swainsonii</i>	SV, SC, HU		U
79	White-tailed Kite <i>Elanus leucurus</i>	HU, SV, SC		F
80	Snail Kite <i>Rostrhamus sociabilis</i>	FW, HU		C
81	Slender-billed Kite <i>Helicolestes hamatus</i>	RI, FW		S
82	Double-toothed Kite <i>Harpagus bidentatus</i>	LF, MF		U
83	Rufous-thighed Kite <i>Harpagus diodon</i>	LF, MF	AUS?	S
84	Plumbeous Kite <i>Ictinia plumbea</i>	LF		F
85	Long-winged Harrier <i>Circus buffoni</i>	SV, SC, FW		U
86	Gray-bellied Hawk <i>Accipiter poliogaster</i>	LF	AUS?	S
87	Tiny Hawk <i>Accipiter superciliosus</i>	LF, MF		S
88	Sharp-shinned Hawk <i>Accipiter striatus</i>	LF, MF		S
89	Bicolored Hawk <i>Accipiter bicolor</i>	LF, SC, SV		U
90	Crane Hawk <i>Geranospiza caerulescens</i>	LF		F
91	Black-faced Hawk <i>Leucopternis melanops</i>	LF		U
92	White Hawk <i>Leucopternis albicollis</i>	LF, MF		F
93	Common Black-Hawk <i>Buteogallus anthracinus</i>	MN, PA		UL
94	Rufous Crab-Hawk <i>Buteogallus aequinoctialis</i>	MN, HU		F
95	Great Black-Hawk <i>Buteogallus urubitinga</i>	LF, RI		F
96	Savanna Hawk <i>Buteogallus meridionalis</i>	SV, SC		C
97	[Solitary Eagle <i>Harpyhaliaetus solitarius</i> *	?		?
98	Black-collared Hawk <i>Busarellus nigricollis</i>	FW, RI		F
99	Roadside Hawk <i>Buteo magnirostris</i>	HU, SC		F
100	[Broad-winged Hawk <i>Buteo platypterus]</i>	LF, MF		S
101	Gray Hawk <i>Buteo nitidus</i>	SC, HU		F
102	Short-tailed Hawk <i>Buteo brachyurus</i>	LF		U
103	White-tailed Hawk <i>Buteo albicaudatus</i>	SV, SC		F
104	Zone-tailed Hawk <i>Buteo albonotatus</i>	LF, SC		U
105	Crested Eagle <i>Morphnus guianensis</i>	LF		S
106	Harpy Eagle <i>Harpia harpyja</i>	LF		S
107	Black-and-white Hawk-Eagle <i>Spizaetus melanoleucus</i>	LF, MF		U
108	Black Hawk-Eagle <i>Spizaetus tyrannus</i>	LF, MF, PA		U
109	Ornate Hawk-Eagle <i>Spizaetus ornatus</i>	LF, MF		U

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
--	--------------------------------	---------	-------	-----

Falcons, Caracaras Falconidae

110	Black Caracara <i>Daptrius ater</i>	RI, LF, SC		F
111	Red-throated Caracara <i>Ibycter americanus</i>	LF		F
112	Southern Caracara <i>Caracara plancus</i>	SV, HU, SC		C
113	Yellow-headed Caracara <i>Milvago chimachima</i>	SV, SC, HU		F
114	Laughing Falcon <i>Herpetotheres cachinnans</i>	LF, SC		U
115	Barred Forest-Falcon <i>Micrastur ruficollis</i>	LF		U
116	Lined Forest-Falcon <i>Micrastur gilvicollis</i>	LF		U
117	Slaty-backed Forest-Falcon <i>Micrastur mirandollei</i>	LF		S
118	Collared Forest-Falcon <i>Micrastur semitorquatus</i>	LF, SC		U
119	American Kestrel <i>Falco sparverius</i>	SV, SC, HU		F
120	[Merlin <i>Falco columbarius</i>]	HU, MU, SV	NEA	S
121	Bat Falcon <i>Falco rufigularis</i>	LF, SC, RI		F
122	Orange-breasted Falcon <i>Falco deiroleucus</i>	LF, MF		S
123	Aplomado Falcon <i>Falco femoralis</i>	SV, SC		U
124	Peregrine Falcon <i>Falco peregrinus</i>	MU, SC, HU	NEA	U

Limpkin Aramididae

125	Limpkin <i>Aramus guarauna</i>	FW		F
-----	---------------------------------------	----	--	---

Trumpeters Psophiidae

126	Gray-winged Trumpeter <i>Psophia crepitans</i>	LF		F
-----	---	----	--	---

Rails Rallidae

127	Speckled Crake <i>Coturnicops notatus</i>	SV		S
128	Ocellated Crake <i>Micropygia schomburgkii</i>	SV		U
129	Clapper Rail <i>Rallus longirostris</i>	MN		F
130	Gray-necked Wood-Rail <i>Aramides cajanea</i>	FW, MN, LF		F
131	Rufous-necked Wood-Rail <i>Aramides axillaris</i>	MN, LF		U
132	Uniform Crake <i>Amaurolimnas concolor</i>	LF		S
133	Russet-crowned Crake <i>Anurolimnas viridis</i>	SV, SC		U
134	Rufous-sided Crake <i>Laterallus melanophaius</i>	FW		F
135	Gray-breasted Crake <i>Laterallus exilis</i>	FW, SV		S
136	Yellow-breasted Crake <i>Porzana flaviventer</i>	FW		U
137	Ash-throated Crake <i>Porzana albicollis</i>	FW		F
138	Sora <i>Porzana carolina</i>	FW	NEA	S
139	Paint-billed Crake <i>Neocrex erythrops</i>	HU, FW		U
140	Common Moorhen <i>Gallinula chloropus</i>	FW		S
141	Purple Gallinule <i>Porphyrio martinica</i>	FW		F
142	Azure Gallinule <i>Porphyrio flavirostris</i>	FW		F

Finfoots Heliornithidae

143	Sungrebe <i>Heliornis fulica</i>	FW, RI		F
-----	---	--------	--	---

Sunbittern Eurypygidae

144	Sunbittern <i>Eurypyga helias</i>	RI, LF		F
-----	--	--------	--	---

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
--	--------------------------------	---------	-------	-----

Plovers Charadriidae

145	Pied Lapwing <i>Vanellus cayanus</i>	RI		F
146	Southern Lapwing <i>Vanellus chilensis</i>	FW, HU, SV		C
147	American Golden-Plover <i>Pluvialis dominica</i>	SV, HU	NEA	F
148	Black-bellied Plover <i>Pluvialis squatarola</i>	MU	NEA	C
149	Semipalmated Plover <i>Charadrius semipalmatus</i>	MU	NEA	C
150	Wilson's Plover <i>Charadrius wilsonia</i>	MU		U
151	Collared Plover <i>Charadrius collaris</i>	MU, RI		F

Stilts Recurvirostridae

152	Black-necked Stilt <i>Himantopus mexicanus</i>	FW	NEA?	S
-----	---	----	------	---

Thick-knees Burhinidae

153	Double-striped Thick-knee <i>Burhinus bistriatus</i>	SV, HU		F
-----	---	--------	--	---

Sandpipers Scolopacidae

154	Wilson's Snipe <i>Gallinago delicata</i>	FW, SV	NEA	?
155	South American Snipe <i>Gallinago paraguaiiae</i>	FW, SV		F
156	Giant Snipe <i>Gallinago undulata</i>	SV, FW		S
157	Short-billed Dowitcher <i>Limnodromus griseus</i>	MU	NEA	C
158	[Hudsonian Godwit <i>Limosa haemastica</i>]	MU, FW	NEA	S
159	Eskimo Curlew <i>Numenius borealis</i> †	SV	NEA	†
160	Whimbrel <i>Numenius phaeopus</i>	MU, MN, HU	NEA	F
161	Upland Sandpiper <i>Bartramia longicauda</i>	SV, HU	NEA	S
162	Willet <i>Tringa semipalmata</i>	MU, MN	NEA	F
163	Greater Yellowlegs <i>Tringa melanoleuca</i>	FW, MU, HU	NEA	C
164	Lesser Yellowlegs <i>Tringa flavipes</i>	FW, MU, HU	NEA	C
165	Solitary Sandpiper <i>Tringa solitaria</i>	FW, RI	NEA	F
166	Spotted Sandpiper <i>Actitis macularius</i>	RI, MN, FW	NEA	C
167	Ruddy Turnstone <i>Arenaria interpres</i>	MU	NEA	C
168	Red Knot <i>Calidris canutus</i>	MU	NEA	C
169	Sanderling <i>Calidris alba</i>	MU	NEA	C
170	Semipalmated Sandpiper <i>Calidris pusilla</i>	MU	NEA	C
171	Western Sandpiper <i>Calidris mauri</i>	MU	NEA	C
172	Least Sandpiper <i>Calidris minutilla</i>	MU, FW	NEA	F
173	White-rumped Sandpiper <i>Calidris fuscicollis</i>	MU, FW	NEA	C
174	Pectoral Sandpiper <i>Calidris melanotos</i>	MU, FW, HU	NEA	F
175	[Stilt Sandpiper <i>Calidris himantopus</i>]	MU, FW	NEA	U
176	[Buff-breasted Sandpiper <i>Tryngites subruficollis</i>]	SV, HU	NEA	S

Jacanas Jacanidae


177	Wattled Jacana <i>Jacana jacana</i>	FW		C
-----	--	----	--	---

Skuas Stercorariidae

178	Great Skua <i>Stercorarius skua</i>	MA	NEA	?
179	Pomarine Jaeger <i>Stercorarius pomarinus</i>	MA	NEA	S
180	[Parasitic Jaeger <i>Stercorarius parasiticus</i>]	MA	NEA	?

Gulls, Terns Laridae

181	[Lesser Black-backed Gull <i>Larus fuscus</i>]	MA, MU	NEA	U
-----	---	--------	-----	---

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
182	Laughing Gull <i>Larus atricilla</i>	MA, MU		C
183	Brown Noddy <i>Anous stolidus</i>	MA		S
184	Sooty Tern <i>Onychoprion fuscatus</i>	MA		S
185	[Bridled Tern <i>Onychoprion anaethetus</i>]	MA		?
186	Least Tern <i>Sternula antillarum</i>	MA, MU	NEA	F
187	Yellow-billed Tern <i>Sternula superciliaris</i>	RI, FW		C
188	Large-billed Tern <i>Phaetusa simplex</i>	RI, FW		F
189	Gull-billed Tern <i>Gelochelidon nilotica</i>	MA, MU, FW		U
190	[Black Tern <i>Chlidonias niger</i>]	MA	NEA	F
191	Common Tern <i>Sterna hirundo</i>	MA, MU	NEA	C
192	Roseate Tern <i>Sterna dougallii</i>	MA, MU	NEA	C
193	[Arctic Tern <i>Sterna paradisaea</i>]	MA	NEA	?
194	Sandwich Tern <i>Thalasseus sandvicensis</i>	MA, MU		C
195	[Royal Tern <i>Thalasseus maximus</i>]	MA, MU		C

Skimmers Rynchopidae


196	Black Skimmer <i>Rynchops niger</i>	MA, MU, RI		C
-----	--	------------	--	---

Pigeons, Doves Columbidae

197	Common Ground-Dove <i>Columbina passerina</i>	SC, HU, SV		C
198	Plain-breasted Ground-Dove <i>Columbina minuta</i>	SV, SC		U
199	Ruddy Ground-Dove <i>Columbina talpacoti</i>	SC, HU		C
200	Blue Ground-Dove <i>Claravis pretiosa</i>	LF, SC		F
201	Rock Pigeon <i>Columba livia</i>	HU		CL
202	Scaled Pigeon <i>Patagioenas speciosa</i>	LF, SC, SV		F
203	Pale-vented Pigeon <i>Patagioenas cayennensis</i>	SC, SV, RI		C
204	Plumbeous Pigeon <i>Patagioenas plumbea</i>	LF, MF		F
205	Ruddy Pigeon <i>Patagioenas subvinacea</i>	LF, MF		F
206	Eared Dove <i>Zenaida auriculata</i>	SC, HU, SV		C
207	White-tipped Dove <i>Leptotila verreauxi</i>	SC		C
208	Gray-fronted Dove <i>Leptotila rufaxilla</i>	LF		F
209	Violaceous Quail-Dove <i>Geotrygon violacea</i>	LF		?
210	Ruddy Quail-Dove <i>Geotrygon montana</i>	LF		U

Parrots Psittacidae

211	Blue-and-yellow Macaw <i>Ara ararauna</i>	PA, LF, RI		F
212	Scarlet Macaw <i>Ara macao</i>	LF		F
213	Red-and-green Macaw <i>Ara chloropterus</i>	LF		F
214	Chestnut-fronted Macaw <i>Ara severus</i>	LF, SC		SL
215	Red-bellied Macaw <i>Orthopsittaca manilata</i>	PA, SV		C
216	Red-shouldered Macaw <i>Diopsittaca nobilis</i>	PA, SV, SC		C
217	White-eyed Parakeet <i>Aratinga leucophthalma</i>	LF		C
218	Sun Parakeet <i>Aratinga solstitialis</i>	SV, SC	AMN	SL
219	Brown-throated Parakeet <i>Aratinga pertinax</i>	SV, SC		C
220	Painted Parakeet <i>Pyrrhura picta</i>	LF, MF		C
221	Fiery-shouldered Parakeet <i>Pyrrhura egregia</i>	MF	TEP	F
222	Green-rumped Parrotlet <i>Forpus passerinus</i>	LF, HU		C
223	Dusky-billed Parrotlet <i>Forpus sclateri</i>	LF		U

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
224	Golden-winged Parakeet <i>Brotogeris chrysoptera</i>	LF		C
225	Tepui Parrotlet <i>Nannopsittaca panychlora</i>	MF, LF	TEP	C
226	Lilac-tailed Parrotlet <i>Touit batavicus</i>	LF		C
227	Scarlet-shouldered Parrotlet <i>Touit huetii</i>	LF		U
228	Sapphire-rumped Parrotlet <i>Touit purpuratus</i>	LF, MF		U
229	Black-headed Parrot <i>Pionites melanocephalus</i>	LF	AMN	F
230	Caica Parrot <i>Gypopsitta caica</i>	LF	GUI	F
231	Blue-headed Parrot <i>Pionus menstruus</i>	LF		C
232	Dusky Parrot <i>Pionus fuscus</i>	LF		C
233	Blue-cheeked Parrot <i>Amazona dufresniana</i>	LF, RI		U
234	Festive Parrot <i>Amazona festiva</i>	LF		?
235	Yellow-crowned Parrot <i>Amazona ochrocephala</i>	SV, SC		C
236	Orange-winged Parrot <i>Amazona amazonica</i>	LF, SC		C
237	Mealy Parrot <i>Amazona farinosa</i>	LF		C
238	Red-fan Parrot <i>Derophtus accipitrinus</i>	LF		C

Hoatzin Opisthocomidae

239	Hoatzin <i>Opisthocomus hoazin</i>	RI, FW		CL
-----	---	--------	--	----

Cuckoos Cuculidae

240	Yellow-billed Cuckoo <i>Coccyzus americanus</i>	LF	NEA	U
241	Pearly-breasted Cuckoo <i>Coccyzus euleri</i>	LF	AUS?	S
242	Mangrove Cuckoo <i>Coccyzus minor</i>	MN		U
243	Dark-billed Cuckoo <i>Coccyzus melacoryphus</i>	LF	AUS?	U
244	Squirrel Cuckoo <i>Piaya cayana</i>	LF		F
245	Black-bellied Cuckoo <i>Piaya melanogaster</i>	LF		U
246	Little Cuckoo <i>Piaya minuta</i>	SC, FW		F
247	Greater Ani <i>Crotophaga major</i>	RI, MN, FW		C
248	Smooth-billed Ani <i>Crotophaga ani</i>	SC, HU		C
249	Striped Cuckoo <i>Tapera naevia</i>	SC, SV, HU		F
250	Pavonine Cuckoo <i>Dromococcyx pavoninus</i>	LF, MF		U
251	Rufous-winged Ground-Cuckoo <i>Neomorphus rufipennis</i>	LF	GUI	U

Barn Owls Tytonidae

252	Barn Owl <i>Tyto alba</i>	SC, HU		U
-----	----------------------------------	--------	--	---

Typical Owls Strigidae

253	Tropical Screech-Owl <i>Megascops choliba</i>	SC, LF		F
254	Tawny-bellied Screech-Owl <i>Megascops watsonii</i>	LF		U
255	Vermiculated Screech-Owl <i>Megascops guatemalae</i>	MF		U
256	Crested Owl <i>Lophotrix cristata</i>	LF, MF		U
257	Spectacled Owl <i>Pulsatrix perspicillata</i>	LF		U
258	Great Horned Owl <i>Bubo virginianus</i>	SC, SV		U
259	Mottled Owl <i>Ciccaba virgata</i>	LF, MF		?
260	Black-banded Owl <i>Ciccaba huhula</i>	LF, MF		?
261	Amazonian Pygmy-Owl <i>Glaucidium hardyi</i>	LF, MF		U
262	Ferruginous Pygmy-Owl <i>Glaucidium brasilianum</i>	SC, LF		F
263	Burrowing Owl <i>Athene cunicularia</i>	SV, SC		F
264	Striped Owl <i>Pseudoscops clamator</i>	SV, SC		S
265	Stygian Owl <i>Asio stygius</i>	SC, LF		S
266	Short-eared Owl <i>Asio flammeus</i>	SV, HU		S

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
303	Straight-billed Hermit <i>Phaethornis bourcierii</i>	LF, MF		F
304	Long-tailed Hermit <i>Phaethornis superciliosus</i>	LF, MF		F
305	Blue-fronted Lancebill <i>Doryfera johannae</i>	MF		U
306	Gray-breasted Sabrewing <i>Campylopterus largipennis</i>	LF		F
307	Rufous-breasted Sabrewing <i>Campylopterus hyperythrus</i>	MF	TEP	C
308	White-necked Jacobin <i>Florisuga mellivora</i>	LF, RI		F
309	Brown Violetear <i>Colibri delphinae</i>	MF		U
310	[Sparkling Violetear <i>Colibri coruscans</i>]	MF, SC		FL
311	Green-throated Mango <i>Anthracothorax viridigula</i>	MN, SC		U
312	Black-throated Mango <i>Anthracothorax nigricollis</i>	SC, LF, RI		F
313	Fiery-tailed Awlbill <i>Avocettula recurvirostris</i>	LF		S
314	Crimson Topaz <i>Topaza pella</i>	RI, LF		U
315	Ruby-topaz Hummingbird <i>Chrysolampis mosquitus</i>	SC, SV		F
316	Tufted Coquette <i>Lophornis ornatus</i>	LF		U
317	Peacock Coquette <i>Lophornis pavoninus</i>	MF	TEP	U
318	Racket-tailed Coquette <i>Discosura longicaudus</i>	LF		U
319	Blue-chinned Sapphire <i>Chlorestes notata</i>	LF, SC		F
320	Blue-tailed Emerald <i>Chlorostilbon mellisugus</i>	SC, SV, LF		F
321	Fork-tailed Woodnymph <i>Thalurania furcata</i>	LF, MF		F
322	Rufous-throated Sapphire <i>Hylocharis sapphirina</i>	LF, SC		U
323	White-chinned Sapphire <i>Hylocharis cyanus</i>	LF		F
324	White-tailed Goldenthrout <i>Polytmus guainumbi</i>	SV		F
325	[Tepui Goldenthrout <i>Polytmus milleri</i>]*	?	TEP	?
326	Green-tailed Goldenthrout <i>Polytmus theresiae</i>	FW, SV		F
327	Plain-bellied Emerald <i>Amazilia leucogaster</i>	LF, MN, HU		F
328	Versicolored Emerald <i>Amazilia versicolor</i>	LF, SC		UL
329	White-chested Emerald <i>Amazilia brevirostris</i>	LF, SC		F
330	Glittering-throated Emerald <i>Amazilia fimbriata</i>	SV, SC, LF		C
331	Green-bellied Hummingbird <i>Amazilia viridigaster</i>	MF, SC, RI		U
332	Velvet-browed Brilliant <i>Heliodoxa xanthogonys</i>	MF, SC	TEP	C
333	Black-eared Fairy <i>Heliophryx auritus</i>	LF		U
334	Long-billed Starthroat <i>Heliomaster longirostris</i>	LF, RI		F
335	Amethyst Woodstar <i>Calliphlox amethystina</i>	SC, LF		U

Trogons


Trogonidae

336	White-tailed Trogon <i>Trogon viridis</i>	LF		F
337	Violaceous Trogon <i>Trogon violaceus</i>	LF		F
338	Collared Trogon <i>Trogon collaris</i>	MF		F
339	Masked Trogon <i>Trogon personatus</i>	MF		U
340	Black-throated Trogon <i>Trogon rufus</i>	LF		F
341	Black-tailed Trogon <i>Trogon melanurus</i>	LF		F

Kingfishers

Alcedinidae

342	Ringed Kingfisher <i>Megaceryle torquata</i>	RI, FW, MN		F
343	[Belted Kingfisher <i>Megaceryle alcyon</i>]	FW	NEA	S

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
344	Amazon Kingfisher <i>Chloroceryle amazona</i>	RI, FW, MN		F
345	Green Kingfisher <i>Chloroceryle americana</i>	RI, FW, MN		F
346	Green-and-rufous Kingfisher <i>Chloroceryle inda</i>	RI, FW, LF		U
347	American Pygmy Kingfisher <i>Chloroceryle aenea</i>	RI, LF, FW		U

Motmots Momotidae

348	Blue-crowned Motmot <i>Momotus momota</i>	LF		F
-----	--	----	--	---

Jacamars Galbulidae

349	Brown Jacamar <i>Brachygalba lugubris</i>	RI, SC		CL
350	Yellow-billed Jacamar <i>Galbula albirostris</i>	LF	AMN	F
351	Rufous-tailed Jacamar <i>Galbula ruficauda</i>	LF, SC		UL
352	Green-tailed Jacamar <i>Galbula galbula</i>	LF, SC		F
353	Bronzy Jacamar <i>Galbula leucogastra</i>	SC, LF		F
354	Paradise Jacamar <i>Galbula dea</i>	LF, RI		F
355	Great Jacamar <i>Jacameroops aureus</i>	LF		U

Puffbirds Bucconidae

356	Guianan Puffbird <i>Notharchus macrorhynchos</i>	LF	GUI	U
357	Pied Puffbird <i>Notharchus tectus</i>	LF		U
358	Spotted Puffbird <i>Bucco tamatia</i>	SC, LF		F
359	Collared Puffbird <i>Bucco capensis</i>	LF		F
360	White-chested Puffbird <i>Malacoptila fusca</i>	LF		U
361	Rusty-breasted Nunlet <i>Nonnula rubecula</i>	LF		U
362	Black Nunbird <i>Monasa atra</i>	LF	AMN	C
363	Swallow-winged Puffbird <i>Chelidoptera tenebrosa</i>	RI, SC, LF		C

New World Barbets Capitonidae


364	Black-spotted Barbet <i>Capito niger</i>	LF, MF		U
-----	---	--------	--	---

Toucans Ramphastidae

365	Toco Toucan <i>Ramphastos toco</i>	SV, RI		UL
366	White-throated Toucan <i>Ramphastos tucanus</i>	LF		C
367	Channel-billed Toucan <i>Ramphastos vitellinus</i>	LF		C
368	Chestnut-tipped Toucanet <i>Aulacorhynchus derbianus</i>	MF		U
369	Guianan Toucanet <i>Selenidera culik</i>	LF	GUI	F
370	Tawny-tufted Toucanet <i>Selenidera nattereri</i> *	LF		S
371	Green Aracari <i>Pteroglossus viridis</i>	LF	GUI	F
372	Black-necked Aracari <i>Pteroglossus aracari</i>	LF		F

Woodpeckers Picidae

373	Golden-spangled Piculet <i>Picumnus exilis</i>	LF		F
374	White-bellied Piculet <i>Picumnus spilogaster</i>	MN, RI, HU		F
375	White-barred Piculet <i>Picumnus cirratus</i>	SC		F
376	[White Woodpecker <i>Melanerpes candidus</i>]	HU		S
377	Yellow-tufted Woodpecker <i>Melanerpes cruentatus</i>	LF, HU		F
378	Red-crowned Woodpecker <i>Melanerpes rubricapillus</i>	LF, MN		?

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
379	Little Woodpecker <i>Veniliornis passerinus</i>	RI, SC		F
380	Blood-colored Woodpecker <i>Veniliornis sanguineus</i>	LF, MN, HU	GUI	F
381	Red-rumped Woodpecker <i>Veniliornis kirkii</i>	MF		U
382	Golden-collared Woodpecker <i>Veniliornis cassini</i>	LF	GUI	F
383	Yellow-throated Woodpecker <i>Piculus flavigula</i>	LF		F
384	Golden-green Woodpecker <i>Piculus chrysochloros</i>	LF		U
385	Golden-olive Woodpecker <i>Piculus rubiginosus</i>	MF, LF		F
386	Spot-breasted Woodpecker <i>Colaptes punctigula</i>	RI, MN, SC		F
387	Waved Woodpecker <i>Celeus undatus</i>	LF		F
388	Chestnut Woodpecker <i>Celeus elegans</i>	LF		F
389	Cream-colored Woodpecker <i>Celeus flavus</i>	LF		F
390	Ringed Woodpecker <i>Celeus torquatus</i>	LF		U
391	Lineated Woodpecker <i>Dryocopus lineatus</i>	LF, SC, HU		F
392	Red-necked Woodpecker <i>Campephilus rubicollis</i>	LF, MF		F
393	Crimson-crested Woodpecker <i>Campephilus melanoleucos</i>	LF, HU		F

Ovenbirds

Furnariidae

394	Pale-legged Hornero <i>Furnarius leucopus</i>	RI, SC		F
395	Pale-breasted Spinetail <i>Synallaxis albescens</i>	SV, HU, SC		F
396	Ruddy Spinetail <i>Synallaxis rutilans</i>	LF		U
397	McConnell's Spinetail <i>Synallaxis macconnelli</i>	LF, MF	GUI	SL
398	Plain-crowned Spinetail <i>Synallaxis gujanensis</i>	SC, HU		F
399	Hoary-throated Spinetail <i>Synallaxis kollari</i>	RI, SC	GUI	FL
400	Rusty-backed Spinetail <i>Cranioleuca vulpina</i> *	RI, SC		?
401	Tepui Spinetail <i>Cranioleuca demissa</i>	MF	TEP	F
402	Yellow-chinned Spinetail <i>Certhiaxis cinnamomeus</i>	FW, SC		C
403	Roraiman Barbtail <i>Roraimia adusta</i>	MF	TEP	F
404	Point-tailed Palmcreeper <i>Berlepschia rikeri</i>	PA		F
405	Rufous-tailed Foliage-gleaner <i>Philydor ruficaudatum</i>	LF, MF		U
406	Rufous-rumped Foliage-gleaner <i>Philydor erythrocerum</i>	LF, MF		F
407	Cinnamon-rumped Foliage-gleaner <i>Philydor pyrrhodes</i>	LF		U
408	Buff-throated Foliage-gleaner <i>Automolus ochrolaemus</i>	LF		F
409	Olive-backed Foliage-gleaner <i>Automolus infuscatus</i>	LF		F
410	White-throated Foliage-gleaner <i>Automolus roraimae</i>	MF	TEP	U
411	Ruddy Foliage-gleaner <i>Automolus rubiginosus</i>	MF, LF		U
412	Chestnut-crowned Foliage-gleaner <i>Automolus rufpileatus</i>	RI, LF		F
413	Tawny-throated Leaf-tosser <i>Sclerurus mexicanus</i>	LF, MF		U
414	Short-billed Leaf-tosser <i>Sclerurus rufigularis</i>	LF		U
415	Black-tailed Leaf-tosser <i>Sclerurus caudacutus</i>	LF, MF		U
416	Sharp-tailed Streamcreeper <i>Lochmias nematura</i>	MF, RI		UL
417	Rufous-tailed Xenops <i>Xenops milleri</i>	LF		S

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
418	Slender-billed Xenops <i>Xenops tenuirostris</i>	LF		S
419	Plain Xenops <i>Xenops minutus</i>	LF		F
420	Plain-brown Woodcreeper <i>Dendrocincla fuliginosa</i>	LF		F
421	White-chinned Woodcreeper <i>Dendrocincla merula</i>	LF		U
422	Long-tailed Woodcreeper <i>Deconychura longicauda</i>	LF		U
423	Spot-throated Woodcreeper <i>Deconychura stictolaema</i>	LF		U
424	Olivaceous Woodcreeper <i>Sittasomus griseicapillus</i>	LF, SC		UL
425	Wedge-billed Woodcreeper <i>Glyphorhynchus spirurus</i>	LF, MF		F
426	Cinnamon-throated Woodcreeper <i>Dendrexetastes rufigula</i>	RI, LF		UL
427	Red-billed Woodcreeper <i>Hylexetastes perrotii</i>	LF		U
428	Strong-billed Woodcreeper <i>Xiphocolaptes promeropirhynchus</i>	LF, MF		U
429	Amazonian Barred-Woodcreeper <i>Dendrocolaptes certhia</i>	LF		F
430	Black-banded Woodcreeper <i>Dendrocolaptes picumnus</i>	LF, MF		U
431	Straight-billed Woodcreeper <i>Xiphorhynchus picus</i>	MN, RI, SC		F
432	Striped Woodcreeper <i>Xiphorhynchus obsoletus</i>	LF, RI		F
433	Chestnut-rumped Woodcreeper <i>Xiphorhynchus pardalotus</i>	LF, MF		F
434	Buff-throated Woodcreeper <i>Xiphorhynchus guttatus</i>	LF		F
435	Streak-headed Woodcreeper <i>Lepidocolaptes souleyetii</i>	RI, SC		UL
436	Lineated Woodcreeper <i>Lepidocolaptes albolineatus</i>	LF		F
437	Curve-billed Scythebill <i>Campylorhamphus procurvoides</i>	LF		U

Typical Antbirds

Thamnophilidae

438	Fasciated Antshrike <i>Cymbilaimus lineatus</i>	LF		F
439	Black-throated Antshrike <i>Frederickena viridis</i>	LF	GUI	U
440	Great Antshrike <i>Taraba major</i>	HU, SC		F
441	Black-crested Antshrike <i>Sakesphorus canadensis</i>	SC, MN		F
442	Band-tailed Antshrike <i>Sakesphorus melanothorax</i>	LF, RI	GUI	SL
443	Barred Antshrike <i>Thamnophilus doliatus</i>	HU, SC		F
444	Mouse-colored Antshrike <i>Thamnophilus murinus</i>	LF		F
445	Northern Slaty-Antshrike <i>Thamnophilus punctatus</i>	LF, SC		F
446	Amazonian Antshrike <i>Thamnophilus amazonicus</i>	LF, RI		F
447	Streaked-backed Antshrike <i>Thamnophilus insignis</i>	MF, SC	TEP	U
448	Plain Antwren <i>Dysithamnus mentalis</i>	MF		U
449	Dusky-throated Antshrike <i>Thamnomanes ardesiacus</i>	LF		F
450	Cinereous Antshrike <i>Thamnomanes caesius</i>	LF		F
451	Spot-winged Antshrike <i>Pygiptila stelleris</i>	LF		U
452	Brown-bellied Antwren <i>Myrmotherula gutturalis</i>	LF	GUI	F
453	Pygmy Antwren <i>Myrmotherula brachyura</i>	LF, RI		F
454	Guianan Streaked-Antwren <i>Myrmotherula surinamensis</i>	RI, LF		F
455	Rufous-bellied Antwren <i>Myrmotherula guttata</i>	LF	GUI	F
456	White-flanked Antwren <i>Myrmotherula axillaris</i>	LF, SC		F
457	Long-winged Antwren <i>Myrmotherula longipennis</i>	LF		F

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
458	Plain-winged Antwren <i>Myrmotherula behni</i>	MF		F
459	Gray Antwren <i>Myrmotherula menetriesii</i>	LF		F
460	Spot-tailed Antwren <i>Herpsilochmus sticturus</i>	LF	AMN	F
461	Todd's Antwren <i>Herpsilochmus stictocephalus</i>	LF	GUI	F
462	Roraiman Antwren <i>Herpsilochmus roraimae</i>	MF	TEP	F
463	Rufous-winged Antwren <i>Herpsilochmus rufimarginatus</i>	LF, MF		FL
464	Dot-winged Antwren <i>Microrhophias quixensis</i>	LF		U
465	White-fringed Antwren <i>Formicivora grisea</i>	SC, RI		F
466	Rufous-rumped Antwren <i>Terenura callinota</i>	MF		SL
467	Ash-winged Antwren <i>Terenura spodiopitila</i>	LF		F
468	Gray Antbird <i>Cercomacra cinerascens</i>	LF		F
469	Dusky Antbird <i>Cercomacra tyrannina</i>	LF, SC, HU		F
470	Willis's Antbird <i>Cercomacra laeta</i>	SC		FL
471	Blackish Antbird <i>Cercomacra nigrescens</i>	RI, LF		UL
472	Rio Branco Antbird <i>Cercomacra carbonaria</i>	RI	GUI	UL
473	White-browed Antbird <i>Myrmoborus leucophrys</i>	LF, RI, HU		F
474	Warbling Antbird <i>Hypocnemis cantator</i>	LF		F
475	Black-chinned Antbird <i>Hypocnemoides melanopogon</i>	LF, RI		F
476	Silvered Antbird <i>Sclateria naevia</i>	RI, FW, LF		F
477	Black-headed Antbird <i>Percnostola rufifrons</i>	LF	AMN	F
478	Spot-winged Antbird <i>Schistocichla leucostigma</i>	LF, MF		F
479	Roraiman Antbird <i>Schistocichla saturata</i>	MF, RI	TEP	F
480	White-bellied Antbird <i>Myrmeciza longipes</i>	LF, SC		F
481	Ferruginous-backed Antbird <i>Myrmeciza ferruginea</i>	LF		F
482	Black-throated Antbird <i>Myrmeciza atrothorax</i>	LF, SC, HU		F
483	Wing-banded Antbird <i>Myrmornis torquata</i>	LF		U
484	White-plumed Antbird <i>Pithys albifrons</i>	LF		F
485	Rufous-throated Antbird <i>Gymnopithys rufigula</i>	LF	GUI	F
486	Spot-backed Antbird <i>Hylophylax naevius</i>	LF		F
487	Scale-backed Antbird <i>Hylophylax poecilinotus</i>	LF		F

Ground Antbirds

Formicariidae

488	Rufous-capped Antthrush <i>Formicarius colma</i>	LF		F
489	Black-faced Antthrush <i>Formicarius analis</i>	LF		F
490	Short-tailed Antthrush <i>Chamaeza campanisona</i>	MF		S
491	Variagated Antpitta <i>Grallaria varia</i>	LF, MF		U
492	Scaled Antpitta <i>Grallaria guatemalensis</i>	MF		F
493	Spotted Antpitta <i>Hylopezus macularius</i>	LF		U
494	Thrush-like Antpitta <i>Myrmothera campanisona</i>	LF		F
495	Tepui Antpitta <i>Myrmothera simplex</i>	MF	TEP	F
496	Slate-crowned Antpitta <i>Grallaricula nana</i>	MF		U

Gnateaters


Conopophagidae


497	Chestnut-belted Gnateater <i>Conopophaga aurita</i>	LF		S
-----	--	----	--	---


Tyrant Flycatchers

Tyrannidae

498	Sooty-headed Tyrannulet <i>Phyllomyias griseiceps</i>	LF		UL
499	Yellow-crowned Tyrannulet <i>Tyrannulus elatus</i>	LF, SC		F
500	Forest Elaenia <i>Myiopagis gaimardii</i>	LF		F
501	Gray Elaenia <i>Myiopagis caniceps</i>	LF		SL

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
502	Yellow-crowned Elaenia <i>Myiopagis flavivertex</i>	RI, LF		F
503	Greenish Elaenia <i>Myiopagis viridicata</i>	SC		F
504	Yellow-bellied Elaenia <i>Elaenia flavogaster</i>	SC, HU		C
505	Small-billed Elaenia <i>Elaenia parvirostris</i>	SC, LF	AUS	U
506	Plain-crested Elaenia <i>Elaenia cristata</i>	SV, SC		F
507	Lesser Elaenia <i>Elaenia chiriquensis</i>	SV, SC		F
508	Rufous-crowned Elaenia <i>Elaenia ruficeps</i>	SC		U
509	Sierran Elaenia <i>Elaenia pallatangae</i>	MF		F
510	White-lored Tyrannulet <i>Ornithion inermis</i>	LF, RI, SC		F
511	Southern Beardless-Tyrannulet <i>Camptostoma obsoletum</i>	SC, LF		F
512	Mouse-colored Tyrannulet <i>Phaeomyias murina</i>	SC		F
513	Yellow Tyrannulet <i>Capsiempis flaveola</i>	LF, SC		SL
514	Bearded Tachuri <i>Polystictus pectoralis</i>	SV		U
515	Crested Doradito <i>Pseudocolopteryx sclateri</i>	FW	AUS?	?
516	Ringed Antpipit <i>Corythopsis torquatus</i>	LF		U
517	Slender-footed Tyrannulet <i>Zimmerius gracillipes</i>	LF		F
518	Chapman's Bristle-Tyrant <i>Phylloscartes chapmani</i>	MF	TEP	F
519	Olive-green Tyrannulet <i>Phylloscartes virescens</i>	LF	GUI	S
520	Black-fronted Tyrannulet <i>Phylloscartes nigrifrons</i>	MF	TEP	U
521	Ochre-bellied Flycatcher <i>Mionectes oleagineus</i>	LF		F
522	McConnell's Flycatcher <i>Mionectes macconnelli</i>	LF, MF		F
523	Sepia-capped Flycatcher <i>Leptopogon amaurocephalus</i>	LF, MF		U
524	Northern Scrub-Flycatcher <i>Sublegatus arenarum</i>	MN, SC		F
525	Amazonian Scrub-Flycatcher <i>Sublegatus obscurior</i>	LF, SC		U
526	Southern Scrub-Flycatcher <i>Sublegatus modestus</i>	SV		F
527	Pale-tipped Tyrannulet <i>Inezia caudata</i>	SC, MN, RI		F
528	Short-tailed Pygmy-Tyrant <i>Myiornis ecaudatus</i>	LF		F
529	Double-banded Pygmy-Tyrant <i>Lophotriccus vitiosus</i>	LF		F
530	Helmeted Pygmy-Tyrant <i>Lophotriccus galeatus</i>	LF, MF		F
531	Pale-eyed Pygmy-Tyrant <i>Atalotriccus pilaris</i>	SC		F
532	Boat-billed Tody-Tyrant <i>Hemitriccus josephinae</i>	LF	GUI	SL
533	White-eyed Tody-Tyrant <i>Hemitriccus zosterops</i>	LF		F
534	Pearly-vented Tody-Tyrant <i>Hemitriccus margaritaceiventer</i>	SC		F
535	Ruddy Tody-Flycatcher <i>Poecilotriccus russatus</i>	MF, SC	TEP	U
536	Slate-headed Tody-Flycatcher <i>Poecilotriccus sylvia</i>	SC		F
537	Spotted Tody-Flycatcher <i>Todirostrum maculatum</i>	MN, SC, RI		C
538	Common Tody-Flycatcher <i>Todirostrum cinereum</i>	SC, HU		F
539	Painted Tody-Flycatcher <i>Todirostrum pictum</i>	LF	GUI	F
540	Olivaceous Flatbill <i>Rhynchocyclus olivaceus</i>	LF		U
541	Yellow-olive Flycatcher <i>Tolmomyias sulphurescens</i>	LF		F
542	Yellow-margined Flycatcher <i>Tolmomyias assimilis</i>	LF		F
543	Gray-crowned Flycatcher <i>Tolmomyias poliocephalus</i>	LF		F
544	Yellow-breasted Flycatcher <i>Tolmomyias flaviventris</i>	SC, MN		F
545	Cinnamon-crested Spadebill <i>Platyrinchus saturatus</i>	LF		U

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
546	White-throated Spadebill <i>Platyrinchus mystaceus</i>	MF		U
547	Golden-crowned Spadebill <i>Platyrinchus coronatus</i>	LF		U
548	White-crested Spadebill <i>Platyrinchus platyrhynchos</i>	LF		U
549	Royal Flycatcher <i>Onychorhynchus coronatus</i>	LF		U
550	Roraiman Flycatcher <i>Myiophobus roraimae</i>	MF, SC		F
551	Bran-colored Flycatcher <i>Myiophobus fasciatus</i>	SC		S
552	Sulphur-rumped Flycatcher <i>Myiobius barbatus</i>	LF		F
553	Ruddy-tailed Flycatcher <i>Terentriacus erythrurus</i>	LF		F
554	Cinnamon Manakin-Tyrant <i>Neopipo cinnamomea</i>	LF		U
555	Cliff Flycatcher <i>Hirundinea ferruginea</i>	MF		UL
556	Euler's Flycatcher <i>Lathrotriccus euleri</i>	LF		UL
557	Fuscous Flycatcher <i>Cnemotriccus fuscatus</i>	LF, SC		U
558	Olive-sided Flycatcher <i>Contopus cooperi</i>	MF, LF	NEA	S
559	Smoke-colored Pewee <i>Contopus fumigatus</i>	MF		U
560	Tropical Pewee <i>Contopus cinereus</i>	LF		S
561	Blackish Pewee <i>Contopus nigrescens</i>	MF		FL
562	Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	SV, SC	AUS?	F
563	Amazonian Black-Tyrant <i>Knipolegus poecilocercus</i>	RI		UL
564	Rufous-tailed Tyrant <i>Knipolegus poecilurus</i>	MF, SC		UL
565	Drab Water-Tyrant <i>Ochthornis littoralis</i>	RI		CL
566	Pied Water-Tyrant <i>Fluvicola pica</i>	FW		F
567	White-headed Marsh-Tyrant <i>Arundinicola leucocephala</i>	FW		F
568	Long-tailed Tyrant <i>Colonia colonus</i>	LF, MF		F
569	Piratic Flycatcher <i>Legatus leucophaius</i>	LF, HU	AUS	F
570	Rusty-margined Flycatcher <i>Myiozetetes cayanensis</i>	HU, SC, RI		C
571	Dusky-chested Flycatcher <i>Myiozetetes luteiventris</i>	LF, RI		S
572	Great Kiskadee <i>Pitangus sulphuratus</i>	HU, SC, MN		C
573	Lesser Kiskadee <i>Philohydor lictor</i>	FW, RI		F
574	Yellow-throated Flycatcher <i>Conopias parvus</i>	LF	AMN	F
575	Streaked Flycatcher <i>Myiodynastes maculatus</i>	LF	AUS	U
576	Boat-billed Flycatcher <i>Megarynchus pitangua</i>	LF, RI		F
577	Sulphury Flycatcher <i>Tyrannopsis sulphurea</i>	PA		F
578	Variegated Flycatcher <i>Empidonomus varius</i>	LF, SC	AUS	F
579	Crowned Slaty Flycatcher <i>Empidonomus aurantioatrocristatus</i>	SC, SV	AUS	S
580	White-throated Kingbird <i>Tyrannus albogularis</i>	SV, RI	AUS?	U
581	Tropical Kingbird <i>Tyrannus melancholicus</i>	SC, HU, SV	AUS	C
582	Fork-tailed Flycatcher <i>Tyrannus savana</i>	SV, HU, SC	AUS	C
583	Eastern Kingbird <i>Tyrannus tyrannus</i>	SC, HU, LF	NEA	S
584	Gray Kingbird <i>Tyrannus dominicensis</i>	HU, SC, MN	NEA	F
585	Grayish Mourner <i>Rhytipterna simplex</i>	LF		F
586	Pale-bellied Mourner <i>Rhytipterna immunda</i>	SC		SL
587	Sirystes <i>Sirystes sibilator</i>	LF		S
588	Dusky-capped Flycatcher <i>Myiarchus tuberculifer</i>	MF, LF		U
589	Swainson's Flycatcher <i>Myiarchus swainsoni</i>	LF, RI	AUS	U
590	Short-crested Flycatcher <i>Myiarchus ferox</i>	LF, SC		F

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
591	Brown-crested Flycatcher <i>Myiarchus tyrannulus</i>	SC, RI, MN		F
592	Large-headed Flatbill <i>Ramphotricon megacephalum</i>	LF		S
593	Rufous-tailed Flatbill <i>Ramphotricon ruficauda</i>	LF		U
594	Cinnamon Attila <i>Attila cinnamomeus</i>	LF, SC, RI		F
595	Bright-rumped Attila <i>Attila spadiceus</i>	LF, MF		U

Sharpbill **Oxyruncidae**

596	Sharpbill <i>Oxyruncus cristatus</i>	MF		U
-----	---	----	--	---

Cotingas **Cotingidae**


597	Red-banded Fruiteater <i>Pipreola whitelyi</i>	MF	TEP	C
598	Guianan Cock-of-the-Rock <i>Rupicola rupicola</i>	MF, LF	AMN	F
599	Guianan Red-Cotinga <i>Phoenicircus carnifex</i>	LF		F
600	Purple-breasted Cotinga <i>Cotinga cotinga</i>	LF		U
601	Spangled Cotinga <i>Cotinga cayana</i>	LF		U
602	White Bellbird <i>Procnias albus</i>	MF, LF		U
603	Bearded Bellbird <i>Procnias averano</i>	MF		FL
604	Screaming Piha <i>Lipaugus vociferans</i>	LF		C
605	Rose-collared Piha <i>Lipaugus streptophorus</i>	MF	TEP	S
606	Pompadour Cotinga <i>Xipholena punicea</i>	LF		U
607	Bare-necked Fruitcrow <i>Gymnoderus foetidus</i>	RI, LF		U
608	Purple-throated Fruitcrow <i>Querula purpurata</i>	LF		F
609	Crimson Fruitcrow <i>Haematoderus militaris</i>	LF		S
610	Red-ruffed Fruitcrow <i>Pyroderus scutatus</i>	?		?
611	Capuchinbird <i>Perissocephalus tricolor</i>	LF	AMN	F
612	Amazonian Umbrellabird <i>Cephalopterus ornatus</i>	LF		S

Manakins **Pipridae**

613	Pale-bellied Tyrant-Manakin <i>Neopelma pallescens</i>	SC		U
614	Saffron-crested Tyrant-Manakin <i>Neopelma chrysocephalum</i>	SC, LF	AMN	F
615	Tiny Tyrant-Manakin <i>Tyranneutes virescens</i>	LF	GUI	F
616	White-throated Manakin <i>Corapipo gutturalis</i>	MF, LF	GUI	F
617	Striped Manakin <i>Machaeropterus regulus</i>	LF, MF		?
618	White-fronted Manakin <i>Lepidothrix serena</i>	LF, MF	GUI	F
619	Orange-bellied Manakin <i>Lepidothrix suavissima</i>	LF, MF	TEP	F
620	White-bearded Manakin <i>Manacus manacus</i>	RI, LF, SC		F
621	Blue-backed Manakin <i>Chiroxiphia pareola</i>	SC, LF		C
622	Olive Manakin <i>Xenopipo uniformis</i>	MF	TEP	S
623	Black Manakin <i>Xenopipo atronitens</i>	SC		F
624	White-crowned Manakin <i>Pipra pipra</i>	LF, MF		F
625	Crimson-hooded Manakin <i>Pipra aureola</i>	LF		U
626	Scarlet-horned Manakin <i>Pipra cornuta</i>	MF	TEP	F
627	Golden-headed Manakin <i>Pipra erythrocephala</i>	LF		F

INCERTAE SEDIS

628	Black-crowned Tityra <i>Tityra inquisitor</i>	LF		UL
629	Black-tailed Tityra <i>Tityra cayana</i>	LF		U
630	Thrush-like Schiffornis <i>Schiffornis turdina</i>	LF, MF		F
631	Cinereous Mourner <i>Laniocera hypopyrra</i>	LF		U
632	Dusky Purpletuft <i>Iodopleura fusca</i>	LF	GUI	U

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
633	White-naped Xenopsaris <i>Xenopsaris albinucha</i>	SV, SC		S
634	Green-backed Becard <i>Pachyramphus viridis</i> *	MF		?
635	Cinereous Becard <i>Pachyramphus rufus</i>	SC, LF		F
636	White-winged Becard <i>Pachyramphus polychopterus</i>	LF, SC		F
637	Black-capped Becard <i>Pachyramphus marginatus</i>	LF		F
638	Glossy-backed Becard <i>Pachyramphus surinamus</i>	LF		SL
639	Pink-throated Becard <i>Pachyramphus minor</i>	LF		F
640	Wing-barred Piprites <i>Piprites chloris</i>	LF		F

Vireos

Vireonidae

641	Rufous-browed Peppershrike <i>Cyclarhis gujanensis</i>	SC, RI, MF		F
642	Slaty-capped Shrike-Vireo <i>Vireolanius leucotis</i>	LF, MF		F
643	Red-eyed Vireo <i>Vireo olivaceus</i>	LF	NEA	F
644	Black-whiskered Vireo <i>Vireo altiloquus</i>	LF, MN	NEA	U
645	Lemon-chested Greenlet <i>Hylophilus thoracicus</i>	LF		F
646	Ashy-headed Greenlet <i>Hylophilus pectoralis</i>	SC, MN		C
647	Tepui Greenlet <i>Hylophilus sclateri</i>	MF	TEP	F
648	Buff-cheeked Greenlet <i>Hylophilus muscicapinus</i>	LF, MF		F
649	Tawny-crowned Greenlet <i>Hylophilus ochraceiceps</i>	LF		F

Jays

Corvidae

650	Violaceous Jay <i>Cyanocorax violaceus</i> *	LF		?L
651	Cayenne Jay <i>Cyanocorax cayanus</i>	LF	GUI	F

Swallows


Hirundinidae

652	Tree Swallow <i>Tachycineta bicolor</i> *	FW	NEA	?
653	White-winged Swallow <i>Tachycineta albiventer</i>	RI, FW		C
654	Brown-chested Martin <i>Progne tapera</i>	SV, SC, RI	AUS	F
655	Purple Martin <i>Progne subis</i>	SC, HU, RI	NEA	S
656	[Caribbean Martin <i>Progne dominicensis</i>] *	SC, HU	NEA	?
657	Gray-breasted Martin <i>Progne chalybea</i>	HU, SC		C
658	Blue-and-white Swallow <i>Pygochelidon cyanoleuca</i>	SC, HU	AUS	U
659	White-banded Swallow <i>Atticora fasciata</i>	RI		C
660	Black-collared Swallow <i>Atticora melanoleuca</i>	RI		FL
661	White-thighed Swallow <i>Neochelidon tibialis</i>	MF, LF		UL
662	Tawny-headed Swallow <i>Alopoichelidon fucata</i>	SV		F
663	Southern Rough-winged Swallow <i>Stelgidopteryx ruficollis</i>	FW, RI, SC		C
664	Bank Swallow <i>Riparia riparia</i>	SV, HU, FW	NEA	F
665	Barn Swallow <i>Hirundo rustica</i>	SV, HU, SC	NEA	C
666	[Cliff Swallow <i>Petrochelidon pyrrhonota</i>]	HU, FW	NEA	?

Wrens

Troglodytidae

667	Flutist Wren <i>Microcerculus ustulatus</i>	MF	TEP	F
668	Wing-banded Wren <i>Microcerculus bamba</i>	LF		U
669	House Wren <i>Troglodytes aedon</i>	SC, HU		C
670	Tepui Wren <i>Troglodytes rufulus</i>	MF	TEP	U
671	Sedge Wren <i>Cistothorus platensis</i>	SV		S
672	Bicolored Wren <i>Campylorhynchus griseus</i>	SC, PA		F

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
673	Coraya Wren <i>Thryothorus coraya</i>	LF		F
674	Buff-breasted Wren <i>Thryothorus leucotis</i>	LF, RI, SC		F
675	White-breasted Wood-Wren <i>Henicorhina leucosticta</i>	LF, MF		F
676	Musician Wren <i>Cyphorhinus arada</i>	LF		F

Gnatwrens, Gnatcatchers Polioptilidae

677	Collared Gnatwren <i>Microbates collaris</i>	LF, MF	AMN	U
678	Long-billed Gnatwren <i>Ramphocaenus melanurus</i>	LF		F
679	Tropical Gnatcatcher <i>Poliioptila plumbea</i>	SC, LF		F
680	Guianan Gnatcatcher <i>Poliioptila guianensis</i>	LF		U

INCERTAE SEDIS

681	Black-capped Donacobius <i>Donacobius atricapillus</i>	FW		F
-----	--	----	--	---

Thrushes Turdidae

682	Veery <i>Catharus fuscescens</i>	LF	NEA	S
683	Gray-cheeked Thrush <i>Catharus minimus</i>	LF	NEA	S
684	Rufous-brown Solitaire <i>Cichlopsis leucogenys</i>	MF		U
685	Yellow-legged Thrush <i>Turdus flavipes</i>	MF		S
686	Pale-eyed Thrush <i>Turdus leucops</i>	MF		?
687	Black-hooded Thrush <i>Turdus olivater</i>	MF		F
688	Pale-breasted Thrush <i>Turdus leucomelas</i>	HU, SC		C
689	Black-billed Thrush <i>Turdus ignobilis</i>	LF, MF, SC		CL
690	Cocoa Thrush <i>Turdus fumigatus</i>	LF		F
691	Bare-eyed Robin <i>Turdus nudigenis</i>	SC, HU		F
692	White-necked Robin <i>Turdus albicollis</i>	LF, MF		F

Mockingbirds Mimidae


693	Tropical Mockingbird <i>Mimus gilvus</i>	SC, HU		C
-----	---	--------	--	---

Pipits Motacillidae

694	Yellowish Pipit <i>Anthus lutescens</i>	SV, HU		F
-----	--	--------	--	---

Tanagers Thraupidae

695	Black-faced Tanager <i>Schistochlamys melanopsis</i>	SV, SC, FW		U
696	Magpie Tanager <i>Cissopis leveriana</i>	LF, HU		UL
697	Red-billed Pied Tanager <i>Lamprospiza melanoleuca</i>	LF		U
698	Hooded Tanager <i>Nemosia pileata</i>	SC		F
699	Gray-headed Tanager <i>Eucometis penicillata</i>	LF		S
700	Flame-crested Tanager <i>Tachyphonus cristatus</i>	LF		F
701	Fulvous-crested Tanager <i>Tachyphonus surinamus</i>	LF		F
702	White-shouldered Tanager <i>Tachyphonus luctuosus</i>	LF		U
703	White-lined Tanager <i>Tachyphonus rufus</i>	SC, HU		F
704	Red-shouldered Tanager <i>Tachyphonus phoenicius</i>	SC, SV		F
705	Fulvous Shrike-Tanager <i>Lanio fulvus</i>	LF	AMN	U
706	Silver-beaked Tanager <i>Ramphocelus carbo</i>	SC, HU		C
707	Blue-gray Tanager <i>Thraupis episcopus</i>	SC, HU		C
708	Palm Tanager <i>Thraupis palmarum</i>	SC, HU, PA		C

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
709	Blue-backed Tanager <i>Cyanicterus cyanicterus</i>	LF	GUI	U
710	Turquoise Tanager <i>Tangara mexicana</i>	LF, HU		F
711	Paradise Tanager <i>Tangara chilensis</i>	LF, MF		F
712	Yellow-bellied Tanager <i>Tangara xanthogastra</i>	MF		F
713	Spotted Tanager <i>Tangara punctata</i>	LF, MF		F
714	Speckled Tanager <i>Tangara guttata</i>	MF		UL
715	Dotted Tanager <i>Tangara varia</i>	MF		S
716	Bay-headed Tanager <i>Tangara gyrola</i>	MF, LF		F
717	Burnished-buff Tanager <i>Tangara cayana</i>	SC, SV, HU		C
718	Masked Tanager <i>Tangara nigrocincta</i> *	LF		?
719	Black-headed Tanager <i>Tangara cyanopectera</i>	MF, SC		F
720	Opal-rumped Tanager <i>Tangara velia</i>	LF		F
721	Swallow-Tanager <i>Tersina viridis</i>	LF, RI		F
722	Black-faced Dacnis <i>Dacnis lineata</i>	LF, MF		U
723	Blue Dacnis <i>Dacnis cayana</i>	LF, SC		C
724	Short-billed Honeycreeper <i>Cyanerpes nitidus</i>	LF		S
725	Purple Honeycreeper <i>Cyanerpes caeruleus</i>	LF, MF		F
726	Red-legged Honeycreeper <i>Cyanerpes cyaneus</i>	LF		F
727	Green Honeycreeper <i>Chlorophanes spiza</i>	LF		C
728	Guira Tanager <i>Hemithraupis guira</i>	LF		F
729	Yellow-backed Tanager <i>Hemithraupis flavicollis</i>	LF		F
730	Chestnut-vented Conebill <i>Conirostrum speciosum</i>	SC, LF		F
731	Bicolored Conebill <i>Conirostrum bicolor</i>	MN		F
732	Greater Flowerpiercer <i>Diglossa major</i>	MF	TEP	F


INCERTAE SEDIS

733	Hepatic Tanager <i>Piranga flava</i>	SV, SC, MF		U
734	Summer Tanager <i>Piranga rubra</i>	LF, MF	NEA	S
735	[Scarlet Tanager <i>Piranga olivacea</i>] *	LF	NEA	S
736	White-winged Tanager <i>Piranga leucoptera</i>	MF, SC		S
737	Olive-backed Tanager <i>Mitrospingus oleagineus</i>	MF	TEP	F
738	Bananaquit <i>Coereba flaveola</i>	LF, SC, HU		C
739	Sooty Grassquit <i>Tiaris fuliginosus</i>	MF, SC		?

Emberizine Finches

Emberizidae

740	Rufous-collared Sparrow <i>Zonotrichia capensis</i>	SC, HU		FL
741	Grassland Sparrow <i>Ammodramus humeralis</i>	SV, HU		C
742	Stripe-tailed Yellow-Finch <i>Sicalis citrina</i>	SV, HU		UL
743	Saffron Finch <i>Sicalis flaveola</i>	SC, HU		?
744	Grassland Yellow-Finch <i>Sicalis luteola</i>	SV, HU		F
745	Wedge-tailed Grass-Finch <i>Emberizoides herbicola</i>	SV, SC, FW		F
746	Blue-black Grassquit <i>Volatinia jacarina</i>	HU, FW, SC		C
747	Slate-colored Seedeater <i>Sporophila schistacea</i>	LF, RI		CL
748	Gray Seedeater <i>Sporophila intermedia</i>	SV, SC		F
749	Plumbeous Seedeater <i>Sporophila plumbea</i>	SV		F
750	Wing-barred Seedeater <i>Sporophila americana</i>	SC, HU		F
751	Lesson's Seedeater <i>Sporophila bouvronides</i>	SC		U
752	Lined Seedeater <i>Sporophila lineola</i>	SC	AUS	U
753	Yellow-bellied Seedeater <i>Sporophila nigricollis</i>	SC, HU		CL
754	Ruddy-breasted Seedeater <i>Sporophila minuta</i>	SC, FW, HU		C

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
755	Chestnut-bellied Seedeater <i>Sporophila castaneiventris</i>	SC, HU		F
756	Chestnut-bellied Seed-Finch <i>Oryzoborus angolensis</i>	SC, HU, LF		F
757	Large-billed Seed-Finch <i>Oryzoborus crassirostris</i>	FW, SC		U
758	Great-billed Seed-Finch <i>Oryzoborus maximiliani</i>	FW, SC		?
759	White-naped Seedeater <i>Dolospingus fringilloides</i>	SC, SV	AMN	FL
760	[Paramo Seedeater <i>Catamenia homochroa</i>]	SV, SC		CL
761	Pectoral Sparrow <i>Arremon taciturnus</i>	LF		F
762	Tepui Brush-Finch <i>Atlapetes personatus</i>	MF, SC	TEP	U
763	Red-crested Finch <i>Coryphospingus cucullatus</i> *	SC		?
764	Red-capped Cardinal <i>Paroaria gularis</i>	RI, SC		C

Grosbeaks, Saltators

Cardinalidae

765	Yellow-green Grosbeak <i>Caryothraustes canadensis</i>	LF		F
766	Red-and-black Grosbeak <i>Periporphyrus erythromelas</i>	LF		U
767	Slate-colored Grosbeak <i>Saltator grossus</i>	LF		F
768	Buff-throated Saltator <i>Saltator maximus</i>	SC, LF		F
769	Grayish Saltator <i>Saltator coerulescens</i>	SC, HU		F
770	Blue-black Grosbeak <i>Cyanocompsa cyanoides</i>	LF		F
771	Dickcissel <i>Spiza americana</i>	HU, SV	NEA	?

Wood Warblers

Parulidae

772	Tropical Parula <i>Parula pitiayumi</i>	MF, LF		U
773	Yellow Warbler <i>Dendroica petechia</i>	MN, SC, HU	NEA	F
774	Blackpoll Warbler <i>Dendroica striata</i>	LF	NEA	U
775	[Bay-breasted Warbler <i>Dendroica castanea</i>]	LF	NEA	S
776	[Blackburnian Warbler <i>Dendroica fusca</i>]	MF	NEA	S
777	American Redstart <i>Setophaga ruticilla</i>	LF, MF, MN	NEA	U
778	Prothonotary Warbler <i>Protonotaria citrea</i>	MN	NEA	S
779	Northern Waterthrush <i>Seiurus noveboracensis</i>	MN	NEA	C
780	Masked Yellowthroat <i>Geothlypis aequinoctialis</i>	FW, SC		F
781	Slate-throated Redstart <i>Myioborus miniatus</i>	MF		F
782	Tepui Redstart <i>Myioborus castaneocapillus</i>	MF, SC	TEP	F
783	Two-banded Warbler <i>Basileuterus bivittatus</i>	MF, SC		F
784	Golden-crowned Warbler <i>Basileuterus culicivorus</i>	MF, LF		UL
785	Flavescent Warbler <i>Basileuterus flaveolus</i>	SC		FL
786	Riverbank Warbler <i>Phaeothlypis rivularis</i>	LF, RI		F


INCERTAE SEDIS

787	Rose-breasted Chat <i>Granatellus pelzelni</i>	LF		U
-----	---	----	--	---

New World Blackbirds

Icteridae

788	Green Oropendola <i>Psarocolius viridis</i>	LF, MF		C
789	Crested Oropendola <i>Psarocolius decumanus</i>	LF		C
790	Yellow-rumped Cacique <i>Cacicus cela</i>	RI, LF, HU		C
791	Red-rumped Cacique <i>Cacicus haemorrhous</i>	LF		C
792	Troupial <i>Icterus icterus</i>	SC, SV		F
793	Epaulet Oriole <i>Icterus cayanensis</i>	SC, PA, HU		F
794	Yellow Oriole <i>Icterus nigrogularis</i>	SC, HU, MN		F

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
795	Golden-tufted Grackle <i>Macroagelaius imthurni</i>	MF	TEP	F
796	Velvet-fronted Grackle <i>Lamprosar tanagrinus</i>	LF, MN		U
797	Yellow-hooded Blackbird <i>Chrysomus icterocephalus</i>	FW		C
798	Giant Cowbird <i>Molothrus oryzivorus</i>	LF, SC, HU		C
799	Shiny Cowbird <i>Molothrus bonariensis</i>	SC, HU		C
800	Carib Grackle <i>Quiscalus lugubris</i>	SC, HU, MN		C
801	Red-breasted Blackbird <i>Sturnella militaris</i>	HU, FW, SV		C
802	Eastern Meadowlark <i>Sturnella magna</i>	SV, HU		C
803	Bobolink <i>Dolichonyx oryzivorus</i>	HU, FW, SV	NEA	S

Cardueline Finches


Fringillidae

804	Red Siskin <i>Carduelis cucullata</i>	SC, SV		CL
805	Hooded Siskin <i>Carduelis magellanica</i>	SC, SV	GUI	SL
806	Plumbeous Euphonia <i>Euphonia plumbea</i>	LF, SC, MF		U
807	Purple-throated Euphonia <i>Euphonia chlorotica</i>	LF, MF		U
808	Finsch's Euphonia <i>Euphonia finschi</i>	LF, SC	GUI	F
809	Violaceous Euphonia <i>Euphonia violacea</i>	LF, HU		F
810	Golden-bellied Euphonia <i>Euphonia chrysopasta</i>	LF, RI		F
811	White-vented Euphonia <i>Euphonia minuta</i>	LF		F
812	Orange-bellied Euphonia <i>Euphonia xanthogaster</i>	MF, LF		F
813	Golden-sided Euphonia <i>Euphonia cayennensis</i>	LF		F
814	Blue-naped Chlorophonia <i>Chlorophonia cyanea</i>	MF		U

NOTES

NOTES

NOTES



- Lowland Forest (LF)
- Montane Forest (MF)
- Savanna (SV)
- Mangrove (MN)
- Human impacted (HU)

If found, return to:
